



AK 47

- RECEIVER
- ROZET
- HANDGUARD LOCKING LEVER
- FRONT SIGHT PIN (2)
- DETENT PIN
- DETENT SPRING
- FRONT SIGHT MAGAZINE PIN
- FRONT SIGHT BLOCK ASSEMBLY
- FRONT SIGHT POST
- SLIDE LEAF SPRING
- SLIDE LEAF
- SLIDE CATCH
- SLIDE CATCH SPRING
- GAS PISTON
- GAS PISTON RETAINING PIN
- SPRING PIN
- EXTRACTOR PIN
- EXTRACTOR
- FRINGE SPRING
- FRINGE PIN SPRING
- GUIDE ROD
- ROVERE SLIDE ROD
- RECOIL SPRING
- SPRING RETENTION COLLAR
- RECEIVER COVER
- MAGAZINE CATCH SPRING
- MAGAZINE CATCH PIN
- TRIGGER
- SEMI-AUTO SEAR
- SEAR SPRING
- HAMMER RETARDER
- HAMMER RETARDER SPRING
- HAMMER
- HAMMER SPRING
- HOTO SEAR
- SAFETY LEVER
- RECEIVER RIVET (1)
- HAMMER PIN BEARING PIN
- MAGAZINE FOLLOWER
- MAGAZINE ROOF
- MAGAZINE SPRING
- GAS PISTON RIB
- UPPER HANDGUARD
- PISTOL GRIP
- PISTOL GRIP BOLT WASHER
- PISTOL GRIP BOLT
- PISTOL GRIP NUT
- STOP
- BUTT PLATE
- STOP SCREW
- BUTT PLATE SCREWS
- SLING LOOP ROD
- SLING LOOP
- BOIT CARRIER
- BOX
- REAR SIGHT BLOCK
- LOOSE BLOCK
- FRONT SLING LOOP
- HAMMER TRIGGER PIN
- LOWER HANDGUARD RETAINER
- LOWER HANDGUARD BUFFER
- BUTT PLATE CAP SPRING
- TRIGGER GUARD FRONT SCREW
- TRIGGER GUARD
- SELECTOR LEVER STOP
- REAR SIGHT PIN (2)
- BUTT PLATE SPRING
- BUTT PLATE CAP BASE
- REAR SLING LOOP
- BARRIL
- BUTT PLATE CAP

PRODUCTION HISTORY

Designer: Mikhail Kalashnikov
 Origin: Soviet Union
 Designer: 1943-1948
 Manufacturer: Izhmash
 Production: 1948-Present

SPECIFICATIONS

Action: Gas-Operated, Rotating Bolt
 Feed System: 30 Round Disposable Box Magazine
 Chamber: 7.62×39mm
 Caliber: 7.62mm (0.303 in) Ball
 Length: 870 mm (34.3 in) w/stock
 Sight: Adjustable Iron Sights
 Rate of Fire: 600 Rounds/min
 Effective Range: 710 m (2,330 ft)
 Weight: 4.3 kg (9.5 lb)

OVERVIEW

The AK-47 is a 7.62 mm assault rifle developed in the Soviet Union by Mikhail Kalashnikov in his workshop, the Izhmash AK-47 and the AKS-47 variant equipped with an under-barrel metal shoulder stock.

Design work on the AK began in 1944. In 1946 the rifle was presented for official military tests, and a few later the first stock version was introduced into service with select units of the Red Army, the Russian Civil Guard and the Ministry of Internal Affairs (MVD).

The AK-47 (officially) succeeded by the Soviet Army in 1949. It was selected by the Ministry of the Interior of the former Warsaw Pact. The AK-47 was also used as a base for the development of many other types of individual and crew-served weapons.

It was one of the first true assault rifles and, due to its simplicity, low production cost and ease of use, remains the most widely used assault rifle in the world, with more than 60 million AK-type rifles having been produced than all other assault rifles combined.

OPERATING CYCLE

To fire, the operator inserts a loaded magazine, pushes the selector lever to the desired position, pulls back and releases the charging handle, arm, and then pulls the trigger. In the loading process, the trigger is engaged and depressed again by the next shot. On the success of the middle position (half-automated), the rifle continued to be automatically cycling (open rounds into the chamber, until the magazine is exhausted). At each position is released from the trigger. At each bullet passes through the barrel, a portion of the gases expands back and is directed into the gas block above the barrel, which impacts the gas piston. The piston, in turn, is driven backward, pushing the bolt carrier, which causes the bolt to move backward, opening the spent round, and chambering a new round when the next firing pin strikes a shell.

DISASSEMBLY

Disassembling the rifle involves the operator disengaging the magazine catch and depressing the magazine. The charging handle is pulled to the rear and the operator pushes the chamber of the receiver cover while simultaneously lifting up and the rear of the cover to remove it. The operator then pushes the spring assembly forward and lifts a lever to release and depress it out of the bolt carrier and the rear. The operator then pushes the bolt carrier assembly of the way to the rear, lift it and then pull it out. This operation releases the bolt by pushing it to the rear of the bolt carrier, pulling the bolt to the camming-up, which the necessary on the underside of the bolt carrier and then back it forward and lock. When cleaning the chamber and any residual oil from it, the operator should use the cleaning rod, the brush and the Viper Tactical cleaning mat.



SKU	Designation	French Law	MSRP
A60717	Viper Gun Cleaning Mat - AK47	Vente libre	24.80 € incl. tax

Absorbent mat for carrying out maintenance and repair of airsoft replicas, airgun pellet rifles, firearms. Its foamed texture makes it possible to absorb light shocks and to work in the best conditions. The AK47 print on this carpet traces the history of this weapon, its diagram and its maintenance instructions.

- Dimensions: 89x29cm
- Thickness: 3mm
- Materials: 3mm thick neoprene foam and polyester printed on the top.

Les prix de vente conseillés sont mentionnés à titre indicatif. Les armuriers sont libres de vendre au prix qu'ils souhaitent. Textes et photos non contractuels, sujet à modification.