

**EUROP-ARM**

Depuis 1973

TISAS PX-9 Tactical Gen 3 Comp 9x19mm Pistol

<https://europarm.fr/en/produit-21883-TISAS-PX-9-Tactical-Gen-3-Comp-9x19mm-Pistol>



Plus de visuels
disponibles
sur le site



SKU	Designation	RGA	French Law	Caliber	Shots	Barrel (cm)	Length (cm)	Weight (g)	Colors	MSRP
TS340	!B! PISTOLET TISAS PX-9 TACTICAL COMP GEN3 9X19MM CHG 15-18-20 COUPS	CH250	B	9 x 19	21	11.5	19.7	700	Black	930.00 € incl. tax

An Optic Ready RMR striker with integrated slide compensator.

The **TISAS PX-9 Tactical Gen 3 Comp** in **9x19 mm** combines an integrated compensator, an **Optic Ready RMR** interface, and a 1650 g straight trigger. Its modular grip and removable **magwell** allow the configuration to be adapted to the shooter and facilitate magazine insertion.

- **Brand:** TISAS
- **Model:** PX-9 Tactical Gen 3 Comp
- **Caliber:** 9x19 mm
- **Operation:** Semi-automatic striker-fired pistol
- **Carcass:** polymer
- **Slide:** forged carbon steel with integrated compensator
- **Length:** 197.3 mm
- **Height:** 146.5 mm
- **Width:** 34 mm
- **Barrel length:** 114.5 mm
- **Line of sight:** 157.4 mm
- **Trigger:** right, single action
- **Starting weight:** 1650 g
- **Front view:** fiber optics
- **Upright:** black striated
- **Optical interface:** Optic Ready RMR
- **Rail:** Lower Picatinny

- **Magazine capacities supplied:** 18 and 20 rounds
- **Weight without charger:** 700 ± 100 g
- **Weight with charger:** 1005 ± 100 g
- **Safety features:** trigger safety and firing pin lock
- **Indicators:** firing pin status and presence of a cartridge in the chamber, verifiable visually and tactilely.
- **Handle:** interchangeable backrests and side plates
- **Magazine well:** removable magwell
- **Accessories:** carrying case, Inside holster and cleaning kit

A compensator directly integrated into the slide

This version of the **TISAS PX-9 Tactical** features a **compensator integrated** into the slide. Its function is to improve the weapon's stability during firing and to accelerate the return of the sights between shots. The integration of this device directly distinguishes this Comp version within the range.

Optic Ready configuration to RMR standard

The slide features an **Optic Ready RMR** interface for mounting a **red dot sight** using this mount. The configuration also retains mechanical sights consisting of a fiber optic front sight and a black serrated rear sight. This provides the shooter with a platform designed for various sighting configurations in **sport shooting** .

Right trigger and launched striker architecture

The mechanism is based on a **striker-fired** system combined with a single-action straight trigger. The stated trigger pull weight is 1,650 g. Safety features include a **trigger safety** and a striker lock.

Visual and tactile indicators to monitor the weapon's status

At the rear of the slide, a red indicator allows for visual and tactile verification of the firing pin's cocking status. A second indicator is located on the extractor at the ejection port: its red portion becomes visible when a cartridge is chambered. These features complement the mechanical safeties and provide immediate feedback on the pistol's status.

A highly adjustable handle

The **polymer** frame accommodates a set of interchangeable backstraps and side plates. This design allows the width and profile of the grip to be adjusted to suit the shooter's physique. At the front and rear of the slide, **serrations** provide dedicated areas for handling.

Removable magwell and 18 and 20 round magazines

The **magwell** widens the magazine well opening to guide the magazine insertion. It remains removable, allowing for future configuration changes. This version comes with two magazine capacities: **18 rounds** and **20 rounds** .

Picatinny rail and included equipment

The **Picatinny** rail located under the front of the frame provides a standardized interface for compatible accessories. The complete set comes in a case with an Inside holster and a cleaning kit, as well as interchangeable grip components.

French regulations

This **9x19mm** semi-automatic pistol falls under **category B**. Its acquisition is subject to prior prefectural authorization under the regulations applicable to sport shooting. A shooting license alone does not authorize its purchase. Carrying is prohibited except with exceptional authorization, and transport requires a legitimate reason; the weapon must be rendered immediately unusable. It must be stored in a safe, gun cabinet, or suitable secure room.

FAQ

What type of red dot sight can be mounted?

The slide is **Optic Ready** and designed for an **RMR** interface. It therefore allows the mounting of a red dot sight using this socket.

What is the purpose of the integrated compensator?

The **integrated compensator** is designed to promote weapon stability during firing and faster return of the sights to battery between shots.

What are the conditions for acquisition in France?

Classified as a **Category B** firearm, this pistol requires prior authorization from the prefecture. The purchaser must possess the required documentation for acquiring a firearm of this category for sport shooting. A shooting license alone is insufficient for purchase.

Les prix de vente conseillés sont mentionnés à titre indicatif. Les armuriers sont libres de vendre au prix qu'ils souhaitent. Textes et photos non contractuels, sujet à modification.