Mossberg Pack Patriot .30-06 3-12x56 PARD NV009

https://europarm.fr/en/produit-21918-Mossberg-Pack-Patriot-.30-06-3-12x56-PARD-NV009





SKU	Designation	French Law	Caliber	Shots	Thread	Barrel (cm)	Length (cm)	Weight (g)	MSRP
PCKMOPARD3	Mossberg Pack Patriot .30-06 3-12x56 PARD NV009	C	.30-06 Spr.	6	M14x1	56	109	2950	1 599.00 € incl. tax

A complete set for hunting and observation, both day and night.

The **Mossberg Pack Patriot .30-06 3-12x56 PARD NV009** includes a **Mossberg Patriot .30-06 Springfield rifle** with threaded barrel, a 3-12x56 optic, a **PARD NV009 940 nm** night monocular and a STALON X108 moderator.
A coherent configuration complemented by 30mm RTI collars and a Country Sellerie sheath, to provide the main mounting, observation and transport equipment.

- **Rifle brand: Mossberg**
- **Model: Patriot Synthetic**
- **Type:** bolt-action rifle
- **Caliber: .30-06 Springfield**
- **Canon:** floating, fluted and threaded
- **Thread: M14x1**
- **Trigger pull:** adjustable from 2 to 7 pounds
- **Charger:** removable
- **Stock:** black synthetic with rubber butt plate
- **Optical base:** pre-installed Weaver type
- **Rifle weight:** 2.9 kg
- **Scope: 3-12x56**
- **Magnification:** 3x to 12x
- **Lens diameter:** 56 mm
- **Body diameter:** 30 mm
- **Reticle:** 4 illuminated, 11 levels
- **Setting:** 1/2 MOA at 100 m
- **Elevation travel:** 50 MOA
- **Drift course:** 50 MOA
- **Length of the glasses:** 32 cm
- **Weight of the scope:** 670 g

- **Eyewear reference:** OP113
- **Night vision monocular: PARD NV009 940 nm**
- **Sensor:** CMOS 1920 x 1080 pixels
- **Sensitivity:** 0.001 lux
- **Lens:** 35 mm
- **Optical magnification:** 4.7x
- **Digital zoom:** 1.5x to 3x
- **Screen:** OLED 1024 x 768 pixels
- **Infrared illuminator:** 940 nm, 5 W, 3 levels
- **Advertised IR range:** up to 350 m
- **Video:** 1920 x 1080 pixels
- **Photo:** 2592 x 1944 pixels
- **Connectivity:** Wi-Fi, USB Type-C and HDMI output
- **Waterproof rating:** IP67
- **Battery:** 18650
- **Advertised battery life:** up to 8 hours
- **Monocular dimensions:** 150 x 70 x 38 mm
- **Monocular weight:** 305 g with battery
- **Sound moderator: STALON X108**
- **Compatibility indicated:** .30 caliber, maximum diameter 7.62 mm
- **Moderator thread:** M14x1
- **Advertised noise reduction:** 30 dB in .308 caliber
- **Moderator length:** 235 mm
- **Moderator diameter:** 49 mm
- **Moderator weight:** 334 g
- **Moderator reference:** SI28402
- **Collars: RTI 30 mm** , high height
- **Mounting of collars:** 21 mm Weaver or Picatinny type rail
- **Body diameter:** 30 mm
- **Collar width:** 20 mm
- **Height:** 15.5 mm
- **Reference number for necklaces:** OP164
- **Rifle case:** Country Sellerie green Cordura for rifle with scope
- **Sheath length:** 120 cm

A Mossberg Patriot configured in .30-06 Springfield

At the heart of this collection is the **Mossberg Patriot Synthetic** , a **bolt-action rifle** chambered in **.30-06 Springfield** . Its black synthetic stock is complemented by a rubber buttplate, and it is fed via a detachable magazine. With a claimed weight of 2.9 kg, this configuration retains the characteristic design of the Patriot line.

Fluted, free-floating barrel with M14x1 thread

The free-floating barrel features fluting and an **M14x1 thread** . This interface matches the thread specified for the **STALON X108** included in the kit. Combining these two components allows for the immediate creation of a configuration equipped with a **sound moderator** compatible with this setup.

Adjustable trigger and Weaver base

The trigger pull has a stated adjustment range of 2 to 7 pounds. The **Weaver** -style base is already installed on the rifle and provides the interface for mounting optics. The **RTI OP164** rings included in the package are specifically designed for a 21mm Weaver or Picatinny rail and a 30mm scope tube.

RTI 3-12x56 scope for hunting from a blind

The **RTI 3-12x56** combines a variable magnification of 3 to 12x with a 56mm objective lens. This wide aperture makes it ideal for hunting from a **hide** and in low-light conditions. Its 30mm body is compatible with the included scope rings.

The **illuminated reticle 4** has 11 intensity levels. Elevation and windage adjustments each have a 50 MOA range, with a click value indicated at 1/2 MOA at 100 m. The turrets can be adjusted without tools.

PARD NV009 940 nm: observe when the light dims

The pack also includes a **PARD NV009 940 nm** digital monocular designed for **nighttime observation** . Its 1920 x 1080 pixel CMOS sensor works with a 1024 x 768 pixel OLED screen and a 35 mm objective lens. Optical magnification reaches 4.7x, complemented by a digital zoom of 1.5x to 3x.

The integrated **940 nm infrared** illuminator delivers 5 W and offers three brightness levels. This wavelength prioritizes discreet infrared emission. The advertised range reaches up to 350 m depending on viewing conditions.

Recording, Wi-Fi and IP67 design

The monocular isn't just for observation. It records video at 1920 x 1080 pixels and photographs up to 2592 x 1944 pixels. It also features Wi-Fi, a USB Type-C port, and an HDMI output, as well as PIP, gyroscope, automatic recording, loop recording, time stamping, and audio recording.

Its **IP67** rating completes a design intended for outdoor use. Powered by an 18650 battery, the device boasts a claimed battery life of up to 8 hours. It measures 150 x 70 x 38 mm and weighs 305 g with the battery.

STALON X108: a moderator suitable for mounting the pack

The supplied **STALON X108** is advertised for .30 caliber ammunition, with a maximum projectile diameter of 7.62 mm. This version has an **M14x1 thread** , identical to that documented for the Patriot's barrel in this configuration.

The body measures 49 mm in diameter with a total length of 235 mm and a weight of 334 g. The stated acoustic reduction is 30 dB in .308 caliber; this value corresponds to the indicated measuring caliber and should not be transposed as a value measured in .30-06 Springfield.

30mm RTI mounting on 21mm rail

The two **RTI OP164** scope rings connect the 30mm scope body to the rifle's 21mm rail. This tall version has a height of 15.5mm and a width of 20mm. Each ring uses four clamping screws and a nut for rail attachment.

Country Saddlery 120 cm Sheath

To complete the set, the **Country Sellerie** green Cordura case measures 120 cm and is designed to hold a rifle equipped with a scope. It features two handles, a shoulder strap, and a reinforced barrel end with a suspension strap.

Rifle regulations

The **Mossberg Patriot** shown is a bolt-action rifle chambered in **.30-06 Springfield,** classified as Category C in this configuration. Its purchase is subject to declaration and the French regulations applicable to Category C firearms.

Carrying a category C firearm is prohibited without a legitimate reason. Transporting it requires a legitimate reason, and the firearm must be rendered immediately unusable. For safekeeping, regulations stipulate, among other things, the use of a safe or gun cabinet, the dismantling of a component stored separately, or a device preventing the removal of the firearm.

FAQ

Do the supplied collars allow the RTI scope to be mounted directly?

Yes. The scope has a 30mm tube and the RTI OP164 rings are designed for a 30mm diameter. They are designed to mount on a 21mm Weaver or Picatinny rail, while the rifle has a pre-installed Weaver-type base.

What is the advantage of a 940nm infrared illuminator for nighttime observation?

The 940 nm version is designed to prioritize the discreetness of infrared emission. The NV009 features an integrated 5 W three-level illuminator, with a claimed range of up to 350 m depending on observation conditions.

Does the STALON X108 moderator have the same thread as the rifle?

Yes. The data provided indicates an M14x1 thread for the .30-06 Springfield rifle barrel and an M14x1 thread for this version of the STALON X108. Therefore, the two mounting interfaces match in the package configuration.

Les prix de vente conseillés sont mentionnés à titre indicatif. Les armuriers sont libres de vendre au prix qu'ils souhaitent. Textes et photos non contractuels, sujet à modification.